

2825 Wilcrest Dr
Houston, TX 77042
(713) 780-7563

Structural Engineer
Cardno
3700 Sam Houston Parkway South, Suite 100
Houston, Texas 77042

(713) 868-1591
Life Safety and Low Voltage Consultant
WSP

808 Travis Street, Suite 200
Houston, TX 77002
(713) 237-8900

Security Consultant
BLW Security Group

1025 Main Street
Bastrop, TX 78602

(512) 303-4421
Furniture Consultant

Inventure Design
3118 Richmond Ave., Ste. 200
Houston, TX 77098
(713) 524-5555

Project

Memorial Hermann Health System
The Woodlands Medical Center

Crawling Name:

Copyright (C) 2018 by PhiloWilke Partnership. All rights reserved.

This document and the information herein is the property of PhiloWille Partnership. No part hereof shall be copied, duplicated, distributed, disclosed or used to any extent whatsoever except as expressly authorized by PhiloWille Partnership. Any Person, firm, or corporation receiving this document, however obtained, shall by virtue hereof, be deemed to have agreed to the foregoing restrictions and that this document will be held in trust and confidence subject only to the private use expressly authorized by PhiloWille Partnership.

Print Date / Time: 6/15/2018 12:01:05 PM


217-076

A-163



Legend - Reflected Ceiling Plan

 New partition to structure. See 1 A-520 for partition schedule
 Area not in scope



Keyed Notes - Floor Plan


- 1 360 degree security camera, see Low Voltage and Security Drawings
- 2 Pendant light fixture, See Electrical Drawings.
- 3 Provide black diffuser.

General Notes - Reflected Ceiling Plan

1. All new ceilings to be 2' x 2' lay-in acoustical ceiling tile at 9'-0" a.f.f., unless noted otherwise. See Finish Schedule for types.
2. See Interior Elevations for furr down heights and dimensions.
3. Center all down-lights, sprinkler heads, and wall washers in center of ceiling tile, unless noted otherwise.
4. See G-100 for symbols
5. See Electrical Drawings for Lighting Schedule.
6. See Mechanical Drawings for diffuser information.
7. At furr downs occurring at windows, bottom of furr down to align with bottom of mullion

Legend - Reflected Ceiling Plan

 New partition to structure. See 1 A-520 for partition schedule.
 Area not in scope



Reflected Ceiling Plan - Fourth Floor - ICU

$$1/8'' = 1'-0''$$

1







Level
4















